

TIG-200A/250A. AC220V



Model	TIG-200A	TIG-250A
Input Voltage	AC220V-2P	
Size	370*150*235	
Weight	6.7KG	7.6KG
Arc starting	HF pilot	
OCV	56V	
Max. output	190-200A	240-250A

TIG-315DII.....1ph 150~550V
TIG-400D.....3ph/1ph 150~550V

CLASSICAL



Model	TIG-315DII	TIG-400D
Input Voltage	AC150~550V 2P	AC150~550V
Size	370*150*235	435*203*235
Weight	8KG	12KG
Max. input power	8.9KW	12.8KW
OCV	56V	
Max. output	240A	280A
MMA	4.0mm electrode continuously	
Function	current/post gas	current/post gas/down slope

TIG-400B. AC380V



WSM-315A/400A. AC380V



Model	TIG-400B
Input Voltage	AC380V
Size	478*233*390
Weight	27KG
Max. Input power	15KW
OCV	65V
Output	10-350/400A
MMA	5.0mm continuously
Function	current/post gas/down slope

Model	WSM-315A	WSM-400A
Input Voltage	AC380V	
Size	540*303*460	
Weight	21KG	24KG
MMA	4.0mm electrode	5.0mm electrode
OCV	60V	
Max. output	315-320A	400-410A

23 PULSE TIG ACDC WELDER

WSEM-250..... 220V

WSEM-315..... 380V



Model	WSME-250	WSME-315
Input Voltage	AC220V	AC380V
Size	540*303*460	540*303*460
Weight	21KG	25KG
MMA	4.0mm electrode	5.0mm electrode
OCV	58V	60V
Max. output	180-200A	250-280A